

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1373	257/692.ccls.	US-PGPUB; USPAT; USOCR
2	BRS	L2	1126	257/690.ccls.	US-PGPUB; USPAT; USOCR
3	BRS	L3	1926	257/773.ccls.	US-PGPUB; USPAT; USOCR
4	BRS	L4	1536	257/786.ccls.	US-PGPUB; USPAT; USOCR
5	BRS	L5	274	L4 and (substrate or board) and (wiring or trace) and (pad or terminal) and (row or column) and (distance or pitch or space)	US-PGPUB; USPAT
6	BRS	L6	156	L3 and (substrate or board) and (wiring or trace) and (pad or terminal) and (row or column) and (distance or pitch or space)	US-PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	128	L2 and (substrate or board) and (wiring or trace) and (pad or terminal) and (row or column) and (distance or pitch or space)	US-PGPUB; USPAT
8	BRS	L8	180	L1 and (substrate or board) and (wiring or trace) and (pad or terminal) and (row or column) and (distance or pitch or space)	US-PGPUB; USPAT
9	BRS	L14	465	257/692.ccls.	EPO; JPO; DERWENT; IBM_TDB
10	BRS	L15	449	257/773.ccls.	EPO; JPO; DERWENT; IBM_TDB
11	BRS	L16	356	257/786.ccls.	EPO; JPO; DERWENT; IBM_TDB
12	BRS	L17	0	L16 and radial	US-PGPUB; USPAT
13	BRS	L9	16	L5 and radial	US-PGPUB; USPAT
14	BRS	L10	3	L6 and radial	US-PGPUB; USPAT
15	BRS	L11	8	L7 and radial	US-PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
16	BRS	L12	14	L8 and radial	US-PGPUB; USPAT
17	BRS	L13	95	((substrate or board) and (wiring or trace) and (pad or terminal) and (row or column) and (distance or pitch or space)).clm.	US-PGPUB